

ROBUST, VERSATILE, CUSTOMIZABLE

2 TYPES OF WORKTOPS, 2 COLOURS

DRAWERS WITH NORMAL EXTRACTION

CYLINDER CLOSURE

VARIOUS POSSIBILITIES

OF COMBINATIONS



WORK STEEL UP – ROL UP

TECHNICAL SPECIFICATION

COLOUR BENCH

2 colours for the metal parts

RAL 5012

RAL 7035





BENCH DESIGNED FOR AN ERGONOMIC SEATING



ADDITIONAL BOTTOM SHELF

The new STEEL bench presents a series of bottom shelves, that act as reinforcement for the whole structure. The addition of a second shelf completes the bottom support shelf.

ACCESSORIES

PERFORATED PANEL

ROLL HOLDER

SPRAY CAN HOLDER



ADJUSTABLE HEIGHT

Adjustable height benches are available in two versions:

- without wheels, from a minimum height of 740 mm to a maximum height of 1110 mm
- with non-marking rubber wheels Ø 125 mm, from a minimum height of 900 mm to a maximum height of 1110 mm





● ART. F BG S5R0 00 04
H = 740/1110 mm

METAL COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08

STEEL WORKTOP



CONFIGURE YOUR BENCH FROM PAGE A9



NON-MARKING RUBBER WHEELS Ø 125 mm

KEY

ASSEMBLED
BENCH



UNASSEMBLED
BENCH



CLOSURE



BENCH
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



| ART. | | | |
|-----------------|--|---|-----|
| F BG S5R0 00 04 | | - | 600 |

DIMENSIONS mm 1024x750x740/1110 H

WORK STEEL UP
ADJUSTABLE HEIGHT OF 740 TO 1110 mm



| ART. | | | |
|-----------------|--|---|-----|
| F BG S6R0 00 04 | | - | 600 |

DIMENSIONS mm 1500x750x740/1110 H



| ART. | | | |
|-----------------|--|---|-----|
| F BG S7R0 00 04 | | - | 600 |

DIMENSIONS mm 2000x750x740/1110 H



| ART. | | | |
|-----------------|--|---|-----|
| F BG S5R0 01 04 | | - | 200 |

DIMENSIONS mm 1024x750x900/1110 H

WORK STEEL ROL-UP
ADJUSTABLE HEIGHT OF 900 TO 1110 mm



| ART. | | | |
|-----------------|--|---|-----|
| F BG S6R0 01 04 | | - | 200 |

DIMENSIONS mm 1500x750x900/1110 H



| ART. | | | |
|-----------------|--|---|-----|
| F BG S7R0 01 04 | | - | 200 |

DIMENSIONS mm 2000x750x900/1110 H



● ART. F BG S1R0 00 04
H = 740/1110 mm

METAL COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08

STEEL WORKTOP



CONFIGURE YOUR BENCH FROM PAGE A9



NON-MARKING RUBBER WHEELS Ø 125 mm

KEY

ASSEMBLED
BENCH



UNASSEMBLED
BENCH



CLOSURE



BENCH
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



| ART. | | | |
|------------------------|--|---|-----|
| F BG S1R0 00 04 | | - | 600 |

DIMENSIONS mm 1031x705x740/1110 H

WORK STEEL UP
ADJUSTABLE HEIGHT OF 740 TO 1110 mm



| ART. | | | |
|------------------------|--|---|-----|
| F BG S2R0 00 04 | | - | 600 |

DIMENSIONS mm 1507x705x740/1110 H



| ART. | | | |
|------------------------|--|---|-----|
| F BG S3R0 00 04 | | - | 600 |

DIMENSIONS mm 2007x705x740/1110 H



| ART. | | | |
|------------------------|--|---|-----|
| F BG S1R0 01 04 | | - | 200 |

DIMENSIONS mm 1031x705x900/1110 H

WORK STEEL ROL-UP
ADJUSTABLE HEIGHT OF 900 TO 1110 mm



| ART. | | | |
|------------------------|--|---|-----|
| F BG S2R0 01 04 | | - | 200 |

DIMENSIONS mm 1507x705x900/1110 H



| ART. | | | |
|------------------------|--|---|-----|
| F BG S3R0 01 04 | | - | 200 |

DIMENSIONS mm 2007x705x900/1110 H

CABINET



| ART. | Dim. mm |
|------------------------|---------------|
| F BG 3010 01 04 | 500x607x210 H |

Drawer load capacity 25 kg



| ART. | Dim. mm |
|------------------------|---------------|
| F BG 3030 01 04 | 500x607x570 H |

Drawer load capacity 25 kg



| ART. | Dim. mm |
|------------------------|---------------|
| F BG 3050 01 04 | 500x607x570 H |

Drawer load capacity 25 kg



| ART. | Dim. mm |
|------------------------|---------------|
| F BG 3040 01 04 | 500x607x570 H |

SPARE LOCK ART. R CSR 0005 00

COVER FOR CABINET



| ART. | Dim. mm |
|------------------------|---------|
| F BL 6690 00 04 | 496x601 |

BOTTOM CLOSURE SHELF FOR CABINET



| ART. | Dim. mm |
|------------------------|---------|
| F BG 3020 01 04 | 494x572 |

ROLL HOLDER



| ART. | Dim. mm | Ø mm |
|------------------------|---------------|------|
| F CR 1006 00 01 | 245x88x150 H | 130 |
| F CR 1007 00 01 | 285x155x200 H | 240 |

SPRAY CAN HOLDER



| ART. | Dim. mm |
|------------------------|--------------|
| F CR 1108 00 04 | 575x75x167 H |



PERFORATED PANEL

| ART. | Dim. mm |
|------------------------|--------------|
| F CR 1109 00 04 | 575x18x655 H |

MAGNETS



| ART. | Packaging |
|------------------------|-----------|
| F BL 9541 00 00 | 10 pcs. |

kg WHEN APPLIED TO THE WORK STEEL UP AND WORK STEEL ROL-UP BENCHES, THE F BG TOP SHELF CAPACITY IS 600 kg.




STEEL WORKTOP

| ART. | Dim. mm | kg |
|------------------------|---------------|-----|
| F BG 3110 00 04 | 1031x705x32 H | 600 |
| F BG 3115 00 04 | 1507x705x32 H | 600 |
| F BG 3120 00 04 | 2000x705x32 H | 600 |



MULTIPLEX WORKTOP

| ART. | Dim. mm | kg |
|------------------------|---------------|-----|
| F BI A014 02 00 | 1024x750x30 H | 600 |
| F BI A042 02 00 | 1500x750x30 H | 600 |
| F BI A070 02 00 | 2000x750x30 H | 600 |



WHEELS KIT

| ART. | Dim. mm | kg |
|------------------------|---------|----|
| F BG KITR OU 04 | 200 | |

Synthetic mark-proof rubber wheels Ø 125 mm kit with reinforcement angle plate for top shelf

LEG, CROSS MEMBERS, LOWER HALF SHELVES (with the possibility to add an additional lower shelf)

| ART. | Description | Dim. mm | Bench width mm | Ref. | kg |
|------------------------|--------------------|-------------------|----------------|------|----|
| F BG 300R 00 04 | leg | 80x610x705/1080 H | - | A | - |
| F BG 3510 01 04 | pair of upper bars | 915x60x48 H | 1031/1024 | B | - |
| F BG 2308 00 04 | lower shelf | 760x300x35 H | 1031/1024 | C | - |
| F BG 3515 01 04 | pair of upper bars | 1415x60x48 H | 1507/1500 | B | - |
| F BG 2313 00 04 | lower shelf | 1260x300x35 H | 1507/1500 | C | - |
| F BG 3520 01 04 | pair of upper bars | 1915x60x48 H | 2007/2000 | B | - |
| F BG 2318 00 04 | lower shelf | 1760x300x35 H | 2007/2000 | C | - |