

**HELP YOUR COMPANY  
BY PROTECTING  
THE ENVIRONMENT**





# ENVIRONMENT

# ENVIRONMENT

SAFETY CABINETS FOR  
PAINTS, SOLVENTS,  
PESTICIDES AND FERTILIZERS

- With large ventilation vents and internal flame arrestor mesh
- Bottom spill tray for routine cleaning
- Perforated shelves to allow any liquids to drain
- Electrical continuity and external hazard stickers in accordance with relevant standards

H 2008 mm



H 1008 mm



- **ART. F AA 1620 01 30**  
SAFETY CABINET FOR  
PAINTS AND SOLVENTS

- **ART. F AA 1612 01 02**  
SAFETY CABINET FOR  
PESTICIDES AND FERTILIZERS

METAL  
COLOURS



YELLOW  
RAL 1004  
.30



GREEN  
RAL 6011  
.02



CYLINDER LOCK (KEY)  
SUPPLIED STANDARD WITH CYLINDER LOCK  
AND TWO KEYS

KEY



SHELF  
CAPACITY



CAPACITY  
LITRES



CABINET  
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 2008 mm



H 1008 mm



ART.	kg	L	i
<b>F AA 1620 01 30</b>	100	47	key

COMPLIANT WITH ITALIAN OCCUPATIONAL HEALTH AND SAFETY  
LEGISLATIVE DECREE 81/2008

4 adjustable perforated shelves ART. F AC 2530 01 99  
bottom collecting tray

ART.	kg	L	i
<b>F AA 1610 01 30</b>	100	47	key

COMPLIANT WITH ITALIAN OCCUPATIONAL HEALTH AND SAFETY  
LEGISLATIVE DECREE 81/2008

2 adjustable perforated shelves ART. F AC 2530 01 99  
bottom collecting tray

H 2008 mm



H 1008 mm



ART.	kg	L	i
<b>F AA 1622 01 02</b>	100	47	key

IN COMPLIANCE WITH THE ITALIAN PRESIDENTIAL DECREE (DPR) 290/01

4 adjustable perforated shelves ART. F AC 2530 01 99  
bottom collecting tray

ART.	kg	L	i
<b>F AA 1612 01 02</b>	100	47	key

IN COMPLIANCE WITH THE ITALIAN PRESIDENTIAL DECREE (DPR) 290/01

2 adjustable perforated shelves ART. F AC 2530 01 99  
bottom collecting tray



### ADJUSTABLE PERFORATED SHELF

ART. F AC 2530 01 99 - dim. mm 995x500x35 H  
complete with 1 set with 4 hooks

### OIL COLLECTION TANK

ART. F AC 7900 00 99 - dim. mm 958x527x99 H  
tank capacity 47 litres

# ENVIRONMENT

## ENVIRONMENT- FRIENDLY DRUM AND TANK SUPPORTS

Ecological spill containment pallets compliant with current environmental protection legislation, such as that covering the safe management of situations at risk and the protection of the soil, ground and aquifers. To prevent accidental fluid spills in the event of leaks or failures, the removable grating on which the drums stand allows the contents to flow into the containment tank below. The bottom is shaped to allow handling using a forklift or pallet trolley. These spill containment pallets must be placed on flat, protected surfaces in the event of weather conditions which may interfere with their normal operation.

### TANKS WITHOUT WALLS



ART.	dim.mm	amount of drums	L	
<b>F ML 0810 00 54</b>	960x960x332 H	1	200	
<b>F ML 0820 00 54</b>	1355x875x332 H	2	250	
<b>F ML 0830 00 54</b>	1355x1255x290 H	4	300	
<b>F ML 0820 01 54</b>	1355+1355x875x332 H	4	500	
<b>F ML 0830 01 54</b>	1355+1355x1255x290 H	8	600	

Ecological drum collection tray with zinc coated grill and support designed for transport with fork trucks

**SPILL PALLET COMPLIANT WITH ITALIAN ENVIRONMENT LAW 152/2006**

 54  
GALVANISED + RAL5012

## KEY



CAPACITY  
LITRES



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

## DRUM PALLET TROLLEY



ART.	dim.mm	amount of drums		
<b>F ML 0840 00 54</b>	1425x875x1155 H	2	320	125 mm

With 2 fixed wheels and 2 swivel castors with Ø 125 mm standard rubber brake

54  
GALVANISED + RAL5012



ART.	dim.mm	amount of drums		
<b>F ML 0840 01 54</b>	1425x880x1155 H	1	320	125 mm

With 2 fixed wheels and 2 swivel castors with Ø 125 mm standard rubber brake  
With support

54  
GALVANISED + RAL5012



ART.	dim.mm	amount of drums		
<b>F AX 407000 2000 54</b>	940x1010x1160 H	1	320	125 mm


With 2 fixed wheels and 2 swivel castors with Ø 125 mm standard rubber brake

54  
GALVANISED + RAL5012

## CIRCULAR BASE FOR DRUMS

ART.	dim.mm
<b>F AX 407001 0000 04</b>	620x620

04  
RAL 5012



Circular base for 200 litre drums

# ENVIRONMENT



ART.	dim.mm
<b>F ML 0850 12 04</b>	1420x670x760 H

Drum capacity 2x200 litres stackable, for tank F ML 0830 00 54

 04  
RAL 5012



ART.	dim.mm
<b>F ML 0850 13 04</b>	1420x670x760 H

Drum capacity 3x60 litres stackable, for tank F ML 0830 00 54

 04  
RAL 5012



ART.	dim.mm
<b>F ML 0860 02 04</b>	1360x600x400 H

Drum capacity 2x200 litres not stackable, for tank F ML 0830 00 54

 04  
RAL 5012



ART.	dim.mm
<b>F ML 0860 03 04</b>	1360x600x400 H

Drum capacity 3x60 litres not stackable, for tank F ML 0830 00 54

 04  
RAL 5012




ART.	dim.mm
<b>F ML 0860 01 04</b>	880x600x400 H

Drum capacity 1x200 litres not stackable, for tank F ML 0820 00 54

 04  
RAL 5012



Including:  
1 ART. F ML 0830 00 54 RAL5012 + GALVANISED  
1 ART. F ML 0850 12 04 RAL5012  
1 ART. F ML 0850 13 04 RAL5012



## STACKABLE SUPPORT FOR DRUMS

ART.	dim.mm
<b>F AX 409000 4000 99</b>	1258x1050x340 H

Galvanised finish  
For tank F ML 0830 00 54,  
stackable, suitable for forklift handling and palletising

## STEEL SPILL CONTAINMENT PALLET FOR TANK

Spill containment pallet for 1000 litre containers. 100 mm above the ground, with forklift truck or pallet truck fork brackets.



ART.	dim.mm	amount of tanks	L	stand
<b>F AX VDRHVO 0000 54</b>	1350x1500x640 H	1	1000	-

 54  
GALVANISED + RAL5012



ART.	dim.mm	amount of tanks	L	stand
<b>F AX VDRG10 00V0 54</b>	1350x1500x1100 H	1	1000	YES

 54  
GALVANISED + RAL5012



ART.	dim.mm	amount of tanks	L	stand
<b>F AX 402085 0000 54</b>	2680x1350x400 H	2	1000	-

 54  
GALVANISED + RAL5012

## STAND



ART.	dim.mm
<b>F AX VDRT10 00T0 04</b>	1350x1256x485 H

TANK SUPPORT STAND WITHOUT GRILLE for:  
F AX 402085 0000 54, F AX 402085 0A00 54,  
F AX 402085 0ATA 54, F AX VDRHVO 0000 54

 04  
RAL 5012

## TANK



ART.	dim.mm
<b>F AX PACK13 UN00 00</b>	1200x1000x1147 H

Plastic tank with metal grille, capacity 1000 litre



**PRACTICAL  
AND SAFE OIL  
STORAGE CABINET**



# MASTER FO

# TECHNICAL SPECIFICATION

Designed for recovering and storing oil cans, our oil storage cabinets, complete with hinged doors, are a practical solution to organise liquids products.

The liquid collection tanks are designed to be watertight and resistant to corrosion in both the galvanised and the painted versions. Available in different configurations with telescopic extension shelves with 200 kg capacity or fixed, height adjustable shelves.



## HINGED DOORS

Hinged doors are made of sturdy, specially shaped steel sheet, with a footprint depth of 25 mm. The 3-point closure ensures high security against break-ins. Available with cylinder locks with two keys.




## OIL RECOVERY TANK

The collection tank is made of galvanised sheet steel with a 10/10 thickness and is watertight; it is used to collect any dripping at the end of oil drawing or in case of can breaks. It runs on "L" shaped guides fixed to the uprights on the sides of the cabinet.



## EXTERNAL OIL TANK

The external oil safety tank has a capacity of 77 litres and it is watertight. It raises the cabinet off the floor by 150 mm and is the most complete, safest solution in case of oil can breaks and multiple oil leaks.



## SHELVES

- Steel sheet shelves, total height 60 mm, adjustable in height in steps of 25 mm, capacity 150 kg.



- Telescopic retractable shelves, with a capacity of 200 kg, with an internal galvanised steel sheet surface with a drain to preserve the painted bottom.



# MASTER FO



## METAL COLOURS



GREY  
RAL 7000  
.01



GREEN  
RAL 6011  
.02



BLUE  
RAL 5012  
.04



GREY  
RAL 7035  
.08




GREY WHITE  
RAL 9002  
.1F



RUBY RED  
RAL 3003  
.1G



GENTIAN BLUE  
RAL 5010  
.34



PURE WHITE  
RAL 9010  
.35



ANTHRACITE GREY  
RAL 7016  
.39



BLUE CAPRI  
RAL 5019  
.48

H 1650 mm



● ART. M 33 A150 C0 30 SN 04

PLASTIC parts  
colour range  
(caps)



### KEY LOCK (KEY)

The cylinder closure "C0" is supplied as standard in cabinets. "C1" or "C2" versions on request. See Master section page 31



### ART. F AG 9200 00 99

Pair of zinc-plated brackets for cabinet floor fixing

### ART. F AG 9204 00 99

2 "HILTI" stud anchors suitable for non-cracked concrete floors  $\geq$  class C20/25  
Recommended anchor strength: 2.9 KN  
Anchor diameter:  $\varnothing$  6 mm



THE CABINET WITH SAFETY TANK 77 LITRES ARE SUPPLIED WITH GROUND BRACKETS (ANCHORS NOT INCLUDED)

KEY



EXTENSIBLE  
SHELF  
CAPACITY



CABINET  
CAPACITY  
LITRES



CABINET  
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 1500 mm



ART.				
<b>M 33 A150 C0 30 RG 04</b>	200	120	key	

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 5 plastic cans capacity 10 litres,
- 1 retractable safety tank for oil capacity 40 litres
- Total useful capacity of the cabinet: 150 litres
- Capacity of safety tank for oil: 40 litres

H 1650 mm



ART.				
<b>M 33 A150 C0 30 RH 04</b>	200	150	key	

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 5 plastic cans capacity 10 litres,
- 1 retractable safety tank for oil capacity 40 litres, 1 safety tank for oil capacity 77 litres, 2 plugs for tank
- Total useful capacity of the cabinet: 150 litres
- Total capacity of safety tank for oil: 117 litres

H 1500 mm



ART.				
<b>M 33 A150 C0 30 RK 04</b>	200	120	key	

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 8 plastic cans capacity 25 litres,
- 1 retractable safety tank for oil capacity 40 litres
- Total useful capacity of the cabinet: 120 litres
- Capacity of safety tank for oil: 40 litres

H 1650 mm



ART.				
<b>M 33 A150 C0 30 RL 04</b>	200	200	key	

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 8 plastic cans capacity 25 litres,
- 1 retractable safety tank for oil capacity 40 litres, 1 safety tank for oil capacity 77 litres 2 plugs for tank
- Total useful capacity of the cabinet: 200 litres
- Total capacity of safety tank for oil: 117 litres



H 1500 mm



ART.				
<b>M 33 A150 C0 30 RM 04</b>		200	120	key

Cabinet complete with:

- 3 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 10 plastic cans capacity 10 litres,
- 1 retractable safety tank for oil capacity 40 litres
- Total useful capacity of the cabinet: 120 litres
- Capacity of safety tank for oil: 40 litres

H 1650 mm



ART.				
<b>M 33 A150 C0 30 SN 04</b>		200	200	key

Cabinet complete with:

- 3 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 10 plastic cans capacity 10 litres,
- 1 retractable safety tank for oil capacity 40 litres, 1 safety tank for oil capacity 77 litres, 2 plugs for tank
- Total useful capacity of the cabinet: 200 litres
- Total capacity of safety tank for oil: 117 litres

H 1500 mm



ART.				
<b>M 33 A150 C0 30 SP 04</b>		200	120	key

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 5 plastic cans capacity 10 litres,
- 1 height-adjustable shelf capacity 150 kg - depth 618 mm
- 1 retractable safety tank for oil capacity 40 litres
- Total useful capacity of the cabinet: 120 litres
- Capacity of safety tank for oil: 40 litres

H 1650 mm



ART.				
<b>M 33 A150 C0 30 SQ 04</b>		200	150	key

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 5 plastic cans capacity 10 litres,
- 1 height-adjustable shelf capacity 150 kg - depth 618 mm
- 1 retractable safety tank for oil capacity 40 litres, 1 safety tank for oil capacity 77 litres, 2 plugs for tank
- Total useful capacity of the cabinet: 150 litres
- Total capacity of safety tank for oil: 117 litres

