



4 COLOURS
3 DIFFERENT LENGTHS
WIDE RANGE OF WHEELS
SUITABLE FOR EQUIPPING
WITH TOOL HOLDER WALLS
87% EXTENSIBLE DRAWERS





WORK ROL - STANDARD

TECHNICAL SPECIFICATION

WORKBENCH COLOUR

METAL COLOURS



GREY
RAL 7000
.01




GREEN
RAL 6011
.02



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



DRAWERS CABINET


Drawers are supplied with 87% plain extensibility on high-strength ball bearings. The perforated bottom and the slotted walls with 17 mm pitch allow for easy insertion and fastening (through screws) of the metal partitions. The individual drawer opening device prevents accidental opening during handling.



87% = 70 kg

FRONT HEIGHT 50 mm

87% = 50 kg



FIXED AND ADJUSTABLE LEGS WITH WHEELS

The legs are made of sheet steel with holes at the top for fixing to the worktop and on the base plates for wheel mounting. They are available with a diameter of 125 mm and in a range of models suitable for any type of flooring. Height adjustable versions are also available, variable in height from 850 to 1250 mm through two 25 mm pitch extensions (adjustable by screw tightening). In the leg with swivel wheels a practical handle is provided for bench handling.



STANDARD RUBBER WHEELS



NON-MARKING RUBBER WHEELS



ELASTIC RUBBER WHEELS



POLYURETHANE WHEELS



NYLON WHEELS



CYLINDER CLOSURE


The side lock allows for the closure of all the drawers inserted in the same compartment. The system can be supplied in two heights:

- H 600 mm if all the compartment is filled with drawers
- H 150 mm if a 450 mm H door and the drawers are inserted in the compartment.

SUPPLIED AS STANDARD WITH 2 KEYS

CONNECTING CROSS ELEMENT and MULTIPLEX BOTTOM SHELF

Built from sturdy sheet steel, bent and shaped, the connecting cross element acts as a spacer and stiffening element between the bench legs - making the mobile benches extremely strong during handling with heavy materials. The 25 mm thick multiplex bottom shelf can be applied to replace the cross piece or used at the same time.



MULTI-PURPOSE-PANEL

CAN BE ADDED ON REQUEST
TO COMPLETE YOUR WORK BENCH



SEE PAGE 859

WORK ROL - STANDARD

CONFIGURE YOUR BENCH






WORKBENCH CAPACITY
WIDTH 1300 mm



WHEELS	WORKTOP THICKNESS mm	kg	kg	kg
standard rubber	40	240	220	200
non-marking rubber	40	240	220	200
elastic rubber	40	600	600	600
polyurethane	40	500	500	500
nylon	40	600	600	600

WORKBENCH CAPACITY
WIDTH 1500 mm



WHEELS	WORKTOP THICKNESS mm	kg	kg	kg
standard rubber	40	240	220	200
non-marking rubber	40	240	220	200
elastic rubber	40	600	600	600
polyurethane	40	500	500	500
nylon	40	600	600	600

WORKBENCH CAPACITY
WIDTH 2000 mm



WHEELS	WORKTOP THICKNESS mm	kg	kg	kg
standard rubber	40	220	200	180
non-marking rubber	40	220	200	180
elastic rubber	40	500	500	500
polyurethane	40	450	450	450
nylon	40	500	500	500

WORK ROL - STANDARD

TOP

MULTIPLEX BEECH WOOD



3 BEECH WOOD CROSS LAYERS



MULTIPLEX WITH LAMINATE AND SOLID WOOD EDGES



GREY

MULTIPLEX WITH LAMINATE AND SOLID WOOD EDGES



BLUE

THICKNESS mm	DIM. mm	ART.	ART.	ART.	ART.
40	1300x750	F BI A228 00 00	-	F BH A228 00 08	F BH A228 00 04
	1300x800	F BI A328 00 00	-	F BH A328 00 08	F BH A328 00 04
	1500x750	F BI A242 00 00	-	F BH A242 00 08	F BH A242 00 04
	1500x800	F BI A342 00 00	-	F BH A342 00 08	F BH A342 00 04
	2000x750	F BI A270 00 00	-	F BH A270 00 08	F BH A270 00 04
	2000x800	F BI A370 00 00	-	F BH A370 00 08	F BH A370 00 04



COVER
SEE PAGE 809



LEG WITH FIXED WHEELS H 800 mm

ART.	Wheels Ø 125 mm
F BL 6075 A0 04	standard rubber
F BL 6075 G0 04	non-marking rubber
F BL 6075 D0 04	elastic rubber
F BL 6075 K0 04	polyurethane
F BL 6075 N0 04	nylon

Dim. mm 80x726x800 H



LEG WITH SWIVEL WHEELS WITH BRAKE AND HANDLE H 800 mm

ART.	Wheels Ø 125 mm
F BL 6090 C0 04	standard rubber
F BL 6090 I0 04	non-marking rubber
F BL 6090 F0 04	elastic rubber
F BL 6090 M0 04	polyurethane
F BL 6090 Q0 04	nylon

Dim. mm 80x726x800 H




ART. F BL 9021 00 00
PRE-ASSEMBLING SET FOR BENCH LEG/
CABINET INCLUDING DRILLING AND
FIXING SCREWS

LAMINATE COVERED MULTIPLEX



GREY

LAMINATE COVERED MULTIPLEX




BLUE

ESD WORKTOP ON REQUEST



ART.	ART.
F BH B228 00 08	F BH B228 00 04
F BH B328 00 08	F BH B328 00 04
F BH B242 00 08	F BH B242 00 04
F BH B342 00 08	F BH B342 00 04
F BH B270 00 08	F BH B270 00 04
F BH B370 00 08	F BH B370 00 04



ADJUSTABLE LEG WITH FIXED WHEELS H 850/1250 mm

ART.	Wheels Ø 125 mm
F BL 6055 A0 _ _	standard rubber
F BL 6055 G0 _ _	non-marking rubber
F BL 6055 D0 _ _	elastic rubber
F BL 6055 K0 _ _	polyurethane
F BL 6055 N0 _ _	nylon

Dim. mm 80x726x850/1250 H



ADJUSTABLE LEG WITH SWIVEL WHEELS WITH BRAKE AND HANDLE H 850/1250 mm

ART.	Wheels Ø 125 mm
F BL 6056 C0 _ _	standard rubber
F BL 6056 I0 _ _	non-marking rubber
F BL 6056 F0 _ _	elastic rubber
F BL 6056 M0 _ _	polyurethane
F BL 6056 Q0 _ _	nylon

Dim. mm 80x726x850/1250 H



WORK ROL - STANDARD



CROSS ELEMENT FOR MOBILE BENCHES 1300 mm

ART.		Width mm	
F BL 6605 00 04		980	



CROSS ELEMENT FOR MOBILE BENCHES 1500 mm

ART.		Width mm	
F BL 6610 00 04		1180	

1 drawer

100



27x36 EH

ART.		Dim. mm	kg	
F DE 1010 01 04		565x725x155 H	60	87%

Lateral closure

1 drawer

200



27x36 EH

ART.		Dim. mm	kg	
F DE 1020 01 04		565x725x255 H	60	87%

Lateral closure

2 drawers

50

150



27x36 EH

ART.		Dim. mm	kg	
F DE 1020 02 04		565x725x255 H	60	87%

Lateral closure

3 drawers

50

100

150



27x36 EH

ART.		Dim. mm	kg	
F DE 1030 02 04		565x725x355 H	60	87%

Lateral closure

4 drawers

50

100

100

200



27x36 EH

ART.		Dim. mm	kg	
F DE 1045 04 04		565x725x505 H	40	87%


Lateral closure



ART. F BL 9011 00 00
PRE-ASSEMBLING SET FOR CABINET
INCLUDING DRILLING AND FIXING
SCREWS



CROSS ELEMENT FOR MOBILE BENCHES 2000 mm

ART.		Width mm
F BL 6620 00 04		1680



ART. F CA C328 S1 04

Dim. mm 1340x820x1000 H
 Bench with 3 drawers with wheels
 Complete with back and side upstands and vice
 Not included: tools and partitioning material for drawers