



**4 COLOURS**  
**87% EXTENSIBLE DRAWERS**  
**ELECTRICAL AND**  
**PNEUMATIC SYSTEMS**  
**WITH CUSTOMISING OPTIONS**  
**WIDE RANGE OF SHELVES**





# WORK STANDARD

# TECHNICAL SPECIFICATION

## COLOUR BENCH


### METAL COLOURS



GREY  
RAL 7000  
.01



GREEN  
RAL 6011  
.02



BLUE  
RAL 5012  
.04



GREY  
RAL 7035  
.08



BEARING DETAIL


## DRAWER CABINETS

Drawers are supplied with 87% plain extensibility on high-strength ball bearings. The perforated bottom and the slotted walls with 17 mm pitch allow for easy insertion and fastening (through screws) of the metal partitions.



87% = 70 kg

FRONT HEIGHT 50 mm  
87% = 50 kg




## FIXED AND ADJUSTABLE LEGS

The legs are made of sheet steel with holes on the top for fixing to the worktop and on the base plates for floor fixing. They are produced in 3 different heights (700-800-850 mm) and a version is available adjustable in height from 750 to 1100 mm through two 25 mm pitch extensions (adjustable by screw tightening).


## MULTI-PURPOSE-PANEL

CAN BE ADDED ON REQUEST  
TO COMPLETE YOUR WORK BENCH  
SEE PAGE 859







The walls are provided with 4 perforated uprights so that drawer guides or extensible shelves can be inserted.



### ANTI-TILT ROD



The closing bar acts as an anti-tilt system when the drawer is extended. The drawer rear hook (A) causes the rear bar (B) to rotate to its closed position. This prevents the operator from simultaneously opening multiple drawers, avoiding a dangerous weight shift to the outside.



### CYLINDER CLOSURE

The cylinder closure is connected via a square section rod (C) to the rear closing assembly, consisting of a rotating element and of the anti-tilt bar. Turning the key (D) operates the cam system in the closure assembly that rotates the rod.

**SUPPLIED AS STANDARD WITH 2 KEYS**

## HEIGHT-ADJUSTABLE ADD-ON SHELVES FOR CHESTS OF DRAWERS

Height adjustable shelves can be inserted inside chests of drawers with a capacity of 150 kg.



In addition to the adjustable shelves, extensible shelves on ball bearings can be inserted with a capacity of 100 kg.





## CONFIGURE YOUR BENCH



### WORKTOP LOAD CAPACITY LENGTH 1300 mm



TYPE OF WORKTOP	THICKNESS mm	kg	kg
Multiplex	40	1200	1500
Multiplex	50	1500	1500
3 CROSS-GLUED LAYERS	50	1500	1500
Laminate with solid wood/ Laminate	40	1200	1500
	50	1500	1500

## WORKTOP LOAD CAPACITY LENGTH 1500 mm



TYPE OF WORKTOP	THICKNESS mm	kg	kg	kg
Multiplex	40	800	1500	1500
Multiplex	50	1000	1500	1500
3 CROSS-GLUED LAYERS	50	1000	1500	1500
Laminate with solid wood/ Laminate	40 50	800 1000	1500 1500	1500 1500

## WORKTOP LOAD CAPACITY LENGTH 2000 mm



TYPE OF WORKTOP	THICKNESS mm	kg	kg	kg
Multiplex	40	500	800	1500
Multiplex	50	700	1000	1500
3 CROSS-GLUED LAYERS	50	700	1000	1500
Laminate with solid wood/ Laminate	40 50	500 700	800 1000	1500 1500

## WORKTOP LOAD CAPACITY LENGTH 2500 mm



TYPE OF WORKTOP	THICKNESS mm	kg	kg	kg
Multiplex	40	800	350	800
Multiplex	50	1000	500	1000
3 CROSS-GLUED LAYERS	50	1000	500	1000
Laminate with solid wood/ Laminate	40 50	800 1000	350 500	800 1000

## WORKTOP LOAD CAPACITY LENGTH 3000 mm



TYPE OF WORKTOP	THICKNESS mm	kg	kg	kg	kg
Multiplex	50	800	800	1500	350
3 CROSS-GLUED LAYERS	50	800	800	1500	350
Laminate with solid wood/ Laminate	50 50	800 800	800 800	1500 1500	350 350

## TOP

MULTIPLEX  
BEECH WOOD



3 BEECH  
WOOD CROSS  
LAYERS




MULTIPLEX  
WITH LAMINATE  
AND SOLID WOOD  
EDGES



GREY

MULTIPLEX  
WITH LAMINATE  
AND SOLID WOOD  
EDGES



BLUE


THICKNESS mm	DIM. mm	ART.	ART.	ART.	ART.
30	1024x750	F BI A014 02 00	-	-	-
	1024x800	-	-	-	-
	1300x750	-	-	-	-
	1300x800	-	-	-	-
	1500x750	F BI A042 02 00	-	-	-
	1500x800	F BI A142 00 00	-	F BH A142 00 08	F BH A142 00 04
	2000x750	F BI A070 02 00	-	-	-
	2000x800	F BI A170 00 00	-	F BH A170 00 08	F BH A170 00 04
	2500x750	F BI A084 02 00	-	-	-
	2500x800	-	-	-	-
	3000x750	-	-	-	-
	3000x800	-	-	-	-
40	1024x750	F BI A214 00 00	-	F BH A214 00 08	F BH A214 00 04
	1024x800	-	-	-	-
	1300x750	F BI A228 00 00	-	F BH A228 00 08	F BH A228 00 04
	1300x800	F BI A328 00 00	-	F BH A328 00 08	F BH A328 00 04
	1500x750	F BI A242 00 00	-	F BH A242 00 08	F BH A242 00 04
	1500x800	F BI A342 00 00	-	F BH A342 00 08	F BH A342 00 04
	2000x750	F BI A270 00 00	-	F BH A270 00 08	F BH A270 00 04
	2000x800	F BI A370 00 00	-	F BH A370 00 08	F BH A370 00 04
	2500x750	F BI A284 00 00	-	F BH A284 00 08	F BH A284 00 04
	2500x800	F BI A384 00 00	-	F BH A384 00 08	F BH A384 00 04
50	1024x750	-	-	-	-
	1024x800	F BI A514 00 00	-	F BH A514 00 08	F BH A514 00 04
	1300x750	F BI A428 00 00	F BK A428 00 00	F BH A428 00 08	F BH A428 00 04
	1300x800	F BI A528 00 00	F BK A528 00 00	F BH A528 00 08	F BH A528 00 04
	1500x750	F BI A442 00 00	F BK A442 00 00	F BH A442 00 08	F BH A442 00 04
	1500x800	F BI A542 00 00	F BK A542 00 00	F BH A542 00 08	F BH A542 00 04
	2000x750	F BI A470 00 00	F BK A470 00 00	F BH A470 00 08	F BH A470 00 04
	2000x800	F BI A570 00 00	F BK A570 00 00	F BH A570 00 08	F BH A570 00 04
	2500x750	F BI A484 00 00	F BK A484 00 00	F BH A484 00 08	F BH A484 00 04
	2500x800	F BI A584 00 00	F BK A584 00 00	F BH A584 00 08	F BH A584 00 04
	3000x750	F BI A498 00 00	F BK A498 00 00	F BH A498 00 08	F BH A498 00 04
	3000x800	F BI A598 00 00	F BK A598 00 00	F BH A598 00 08	F BH A598 00 04

LAMINATE  
COVERED  
MULTIPLEX



GREY

LAMINATE  
COVERED  
MULTIPLEX



BLUE

ESD WORKTOP  
ON REQUEST



ART.	ART.
-	-
-	-
-	-
-	-
-	-
F BH B142 00 08	F BH B142 00 04
-	-
F BH B170 00 08	F BH B170 00 04
-	-
-	-
-	-
F BH B214 00 08	F BH B214 00 04
-	-
F BH B228 00 08	F BH B228 00 04
F BH B328 00 08	F BH B328 00 04
F BH B242 00 08	F BH B242 00 04
F BH B342 00 08	F BH B342 00 04
F BH B270 00 08	F BH B270 00 04
F BH B370 00 08	F BH B370 00 04
F BH B284 00 08	F BH B284 00 04
F BH B384 00 08	F BH B384 00 04
-	-
F BH B514 00 08	F BH B514 00 04
F BH B428 00 08	F BH B428 00 04
F BH B528 00 08	F BH B528 00 04
F BH B442 00 08	F BH B442 00 04
F BH B542 00 08	F BH B542 00 04
F BH B470 00 08	F BH B470 00 04
F BH B570 00 08	F BH B570 00 04
F BH B484 00 08	F BH B484 00 04
F BH B584 00 08	F BH B584 00 04
F BH B498 00 08	F BH B498 00 04
F BH B598 00 08	F BH B598 00 04



LAMINATE  
THICKNESS 9/10 mm





## COVERS

COVER THICKNESS 12/10 mm IN MICROPERFORATED STEEL FOR MULTIPLEX SHELVES WITH H 20 mm "L"-SHAPING AT THE FRONT AND REAR, RESISTANT TO ABRASION AND EXPOSURE TO OIL AND GREASE



DIM. mm	ART. THICKNESS 20 mm	
1024x750	F BL 7900 00 99	
1024x800	F BL 7905 00 99	
1300x750	F BL 7915 00 99	
1300x800	F BL 7920 00 99	
1500x750	F BL 7930 00 99	
1500x800	F BL 7935 00 99	
2000x750	F BL 7960 00 99	
2000x800	F BL 7965 00 99	
2500x750	F BL 7975 00 99	
2500x800	F BL 7980 00 99	
3000x750	F BL 7990 00 99	
3000x800	F BL 7995 00 99	

COVER THICKNESS 8/10 mm MADE OF STEEL COVERED WITH OIL-PROOF RUBBER 12/10 - 15/10 mm FOR MULTIPLEX SHELVES, H 20 mm, AT THE FRONT AND REAR "L" SHAPING



DIM. mm	ART. THICKNESS 20 mm	
1024x750	F BL 2230 00 07	
1024x800	F BL 2235 00 07	
1300x750	F BL 2245 00 07	
1300x800	F BL 2250 00 07	
1500x750	F BL 2260 00 07	
1500x800	F BL 2265 00 07	
2000x750	F BL 2290 00 07	
2000x800	F BL 2295 00 07	
2500x750	F BL 2305 00 07	
2500x800	F BL 2310 00 07	
3000x750	F BL 2320 00 07	
3000x800	F BL 2325 00 07	





**ART. F BL 9021 00 00**  
PRE-ASSEMBLING SET FOR BENCH LEG/CABINET  
INCLUDING DRILLING AND FIXING SCREWS



## BENCH LEG FOR ELECTRIC AND PNEUMATIC SYSTEM

ART.		Dim. mm
F BL 6125 01 04		190x726x800 H



## PLINTH 50 mm


ART.		Dim. mm
F BL 6655 00 04		189x726x50 H



## PNEUMATIC SYSTEM WITH SINGLE WINDER

ART.	H cabinet mm
F BL 9660 80 07	800

COLOUR BLACK



## BENCH LEG

ART.		Dim. mm
F BL 6025 00 04		80x726x800 H
F BL 6040 00 04		80x726x850 H



## ADJUSTABLE BENCH LEG

ART.		Dim. mm
F BL 6045 00 _ _		80x726x700/1100 H

		57		58		59		60
RAL 7000+ RAL 9005	RAL 5012+ RAL 9005		RAL 7035+ RAL 9005		RAL 6011+ RAL 9005		RAL 6011+ RAL 9005	

### THE PNEUMATIC SYSTEM INCLUDES:

- 1 fix rear inlet with Ø 10 mm hose and connector (3/8") with pin (Ø 9–12 mm) used to link up to the pneumatic supply by means of an extension hose (not supplied standard).
- 1 front winder including 4 metres of hose with an internal diameter of 5,5 and a 1/4" threaded tool connector.
- 1 fixed front outlet with Ø 10 mm hose and 3/8" threaded connector complete with plug

N.B. ALL THE UNIONS (EXCEPT FOR THOSE OF THE WINDER) ARE 3/8".



APPLICABLE ONLY ON BENCH LEG FOR POWER FITTINGS



**ELECTRIC SYSTEM**

ART.	D	F	GB	I	CH	IL
F BL 9620 10 00	4	-	-	-	-	-
F BL 9620 20 00	-	4	-	-	-	-
F BL 9620 30 00	-	-	3	-	-	-
F BL 9620 40 00	-	-	-	4	-	-
F BL 9620 50 00	-	-	-	-	4	-
F BL 9620 70 00	-	-	-	-	-	4

The bench legs for power fittings are supplied standard with a side door with a cylinder lock and 2 keys. An electric and/or a pneumatic system can be fitted in these bench legs. The socket box is also fitted standard with a thermo-magnetic switch 2P 230V AC 10A and is connected (with a hard-wearing cable sheath) to a heavy duty socket 220-240V 16A 2P+E at the rear featuring a vertically sliding cover. The system is protected to IP30.

THE ELECTRIC SYSTEM INCLUDES A MULTIPLE SOCKET BOX FEATURING 6 TYPE OF SOCKETS::

- 4 sockets for large and small italian plugs 220-250V 10A 2P+E
- 4 Schuko sockets 220-250V 10A 2P+E
- 4 French sockets 220-250V 10A 2P+E
- 3 British sockets 220-250V 10A 2P+E
- 4 Swiss sockets 220-250V 10A 2P+E
- 4 Israeli sockets 220-250V 10A 2P+E



**ART. F BI B570 S1 08**

Dim. mm 2000x800x900 H  
COLOUR GREY RAL 7035  
TOOLS AND DRAWER PARTITIONING SETS  
NOT INCLUDED



**ART. F BL 9011 00 00**  
PRE-ASSEMBLING SET FOR CABINET INCLUDING  
DRILLING AND FIXING SCREWS

1 drawer  
100



**27x36 EH**

ART.		Dim. mm	kg	
<b>F DE 1010 01 04</b>		565x725x155 H	60	87%

Lateral closure

1 drawer  
200



**27x36 EH**

ART.		Dim. mm	kg	
<b>F DE 1020 01 04</b>		565x725x255 H	60	87%

Lateral closure

2 drawers  
50  
150



**27x36 EH**

ART.		Dim. mm	kg	
<b>F DE 1020 02 04</b>		565x725x255 H	60	87%

Lateral closure

3 drawers  
50  
100  
150



**27x36 EH**

ART.		Dim. mm	kg	
<b>F DE 1030 02 04</b>		565x725x355 H	60	87%

Lateral closure



**MULTI-PURPOSE-PANEL**  
**SEE PAGE 859**



**ACCESSORIES**  
**SEE PAGE 871**





**ART. F BL 9011 00 00**  
PRE-ASSEMBLING SET FOR CABINET INCLUDING DRILLING  
AND FIXING SCREWS

H 800 mm



27x36 EH

ART.



kg



**F DD 1070 51 04**

100

87%

key

Central closure

\*maximum capacity 60 kg

H 800 mm



27x36 EH

ART.



kg



**F DD 1070 52 04**

100

87%

key

Central closure

\*maximum capacity 80 kg

H 800 mm



27x36 EH

ART.



kg



**F DD 1070 55 04**

100

87%

key

Central closure

H 800 mm



27x36 EH

door 425 mm

ART.



kg



**F DD 1170 51 04**

100

87%

key

Central closure

\*maximum capacity 70 kg

**PLINTH**

ART.

H PLINTH mm

**F DD 9300 00 07**

50

Dim. mm 564x701

Colour black RAL 9005

