

**CONFIGURATION FREEDOM**

**SEVERAL COMPARTMENTS**

**WITH DRAWERS,**

**DOORS AND SHELVES**







# WORK SYSTEM

# TECHNICAL SPECIFICATION

## COLOUR BENCH

2 colours for the metal parts



BEARING DETAIL

## DRAWER CABINETS

Drawers are supplied with 100% plain extensibility on high-strength ball bearings. The perforated bottom and the slotted walls with 17 mm pitch allow for easy insertion and fastening (through screws) of the metal partitions.

The available front heights are as follows:

50 / 75 / 100 / 125 / 150 / 200 / 250 / 300 mm



100% = 70 kg

FRONT HEIGHT 50 mm

100% = 50 kg

## SIDE PANELS

Each side panel of a bench is fitted with two 25 mm pitch drilled uprights to allow for drawer guides to be inserted and for adjustable shelf fixing.



## MULTI-PURPOSE-PANEL

CAN BE ADDED ON REQUEST  
TO COMPLETE YOUR WORK BENCH  
SEE PAGE 859





THE MODULAR BENCHES IN THE SYSTEM SERIES HAVE A MODULAR COMPARTMENT STRUCTURE THAT MAKES THEM FLEXIBLE IN THEIR COMPOSITION.

In addition to the solutions available in the catalogue, you can configure them with shelves, drawers and doors according to your production needs and department requirements, which makes of them the most versatile benches in our range.




CYLINDER SIDE CLOSURE

The side lock allows for the closure of all the drawers inserted in the same compartment. The system can be supplied in two heights:


- H 600 mm if all the compartment is filled with drawers
- H 150 mm if a 450 mm H door and the drawers are inserted in the compartment.

**SUPPLIED AS STANDARD WITH 2 KEYS**



## ADJUSTABLE SHELVES

The adjustable shelf also acts as a bottom closure shelf and is available in two models: for the left-side compartments (page 792 ref. 4) or for the right-side/middle compartments (page 792 ref. 5) of each module.



PROVIDED  
ALWAYS ASSEMBLED





● **ART. F BR 2242 03 04**  
H = 865 mm - 3 drawers

## METAL COLOURS



BLUE  
RAL 5012  
.04



GREY  
RAL 7035  
.08

## MULTIPLEX WORKTOP



PARTITIONING MATERIAL SEE PAGES 795/379



DRAWER PRE-SETTING KIT SEE PAGE 796



CONFIGURE YOUR BENCH FROM PAGE 791



MULTI-PURPOSE-PANEL SEE PAGE 859

## KEY



CLOSURE



BENCH  
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

WORKTOP THICKNESS 40 mm



ART.			
F BR 2242 01 04		key	1000



ART.			
● F BR 2242 03 04		key	1000



ART.			
F BR 2242 04 04		key	1000



ART.			
F BR 2242 05 04		key	1000



ART.			
F BR 2242 08 04		key	1000



● **ART. F BR 2243 05 04**  
H = 865 mm - 6 drawers

## METAL COLOURS



BLUE  
RAL 5012  
.04



GREY  
RAL 7035  
.08

## MULTIPLEX WORKTOP



PARTITIONING MATERIAL SEE PAGES S 795/379



DRAWER PRE-SETTING KIT SEE PAGE. 796  
UTENSILI VEDI PAG. 1416



CONFIGURE YOUR BENCH FROM PAGE 791



MULTI-PURPOSE-PANEL SEE PAGE 859

## KEY



CLOSURE



BENCH  
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

WORKTOP THICKNESS 40 mm



ART.			
F BR 2243 01 04		key	1000



ART.			
F BR 2243 02 04		key	1000



ART.			
F BR 2243 03 04		key	1000



ART.			
F BR 2243 05 04		key	1000



ART.			
F BR 2243 09 04		key	1000





● ART. F BR 2244 01 04  
H = 865 mm - 10 drawers

## METAL COLOURS



BLUE  
RAL 5012  
.04



GREY  
RAL 7035  
.08

## MULTIPLEX WORKTOP



PARTITIONING MATERIAL SEE PAGES 795/379



DRAWER PRE-SETTING KIT SEE PAGE 796



CONFIGURE YOUR BENCH FROM PAGE 791



MULTI-PURPOSE-PANEL SEE PAGE 859

## KEY



CLOSURE



BENCH  
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

**WORKTOP THICKNESS 40 mm**



ART.			
<b>F BR 2244 01 04</b>		key	2000



ART.			
<b>F BR 2244 02 04</b>		key	2000



ART.			
<b>F BR 2244 03 04</b>		key	2000



ART.			
<b>F BR 2244 04 04</b>		key	2000



● ART. F BR 2245 01 04  
H = 865 mm - 3 drawers

## METAL COLOURS



BLUE  
RAL 5012  
.04



GREY  
RAL 7035  
.08

## MULTIPLEX WORKTOP



PARTITIONING MATERIAL SEE PAGES 795/379



DRAWER PRE-SETTING KIT SEE PAGE 796



CONFIGURE YOUR BENCH FROM PAGE 791



MULTI-PURPOSE-PANEL SEE PAGE 859

## KEY



CLOSURE



BENCH  
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

**WORKTOP THICKNESS 40 mm**



ART.				
● F BR 2245 01 04		key	2000	




ART.				
F BR 2245 02 04		key	2000	



**ART. F BR 2343 S1 08**  
Dim. mm 2000x800x865/1500 H  
EQUIPMENT NOT INCLUDED  
COLOUR GREY RAL 7035

## CONFIGURE YOUR BENCH



<b>A.</b> Length of unit with 2 compartments	1135 mm	<b>E.</b> Overall depth of unit	630 mm
<b>B.</b> Length of unit with 3 compartments	1683 mm	<b>F.</b> Usable height of unit	600 mm
<b>C.</b> Usable width of compartment	507 mm	<b>G.</b> Height of plinth	135 mm
<b>D.</b> Usable depth of compartment	595 mm	<b>H.</b> Overall height of unit	825 mm



WORKTOP	THICKNESS mm	1000	1000	2000	2000
MULTIPLEX	40	kg	kg	kg	kg

1

## MULTIPLEX WORKTOP DEPTH 750 mm THICKNESS 40 mm

ART.	WORKTOP mm	PRE-ASSEMBLING	SUITABLE FOR
F BI A242 00 00	1500	1 pcs. F BR 0960 00 00	1 module with 2 compartments
F BI A270 00 00	2000	1 pcs. F BR 0961 00 00	1 module with 3 compartments
F BI A284 00 00	2500	2 pcs. F BR 0960 00 00	2 module with 2 compartments
F BI A298 00 00	3000	1 pcs. F BR 0960 00 00 + 1 pcs. F BR 0961 00 00	1 module with 2 compartments + 1 module with 3 compartments



**TOP  
SEE PAGE 793**

2

## MODULE WITH 2 COMPARTMENTS DIM. mm 1135x630x825 H

ART.	
F BR 2242 00 08	

3

## MODULE WITH 3 COMPARTMENTS DIM. mm 1683x630x825 H

ART.	
F BR 2243 00 08	

4

## LEFT-HAND STEEL SHELVES DIM. mm 579x566x35 H

ART.		
F BR 0220 01 08		50

This shelf is used as a bottom or an adjustable shelf for the left-hand compartments of each unit

5

## CENTRAL OR RIGHT-HAND STEEL SHELVES DIM. mm 543x566x35 H

ART.		
F BR 0230 01 08		50

This shelf is used as a bottom or an adjustable shelf for the central or the right-hand compartments of each unit

9

## TOTAL EXTENSION DRAWER

ART.	FRONT HEIGHT mm	USABLE DIMENSIONS mm		
F DB 8050 00 08	50	447x447x36 H	100%	50
F DB 8075 00 08	75	447x447x61 H	100%	70
F DB 8100 00 08	100	447x447x86 H	100%	70
F DB 8125 00 08	125	447x447x111 H	100%	70
F DB 8150 00 08	150	447x447x136 H	100%	70
F DB 8200 00 08	200	447x447x186 H	100%	70
F DB 8250 00 08	250	447x447x236 H	100%	70
F DB 8300 00 08	300	447x447x286 H	100%	70

6

## DOOR DIM. mm 504x600 H

ART.		DOOR
F BR 0720 00 08		RIGHT
F BR 0721 00 08		LEFT

This door is available with right and left-hand openings. It is 600 mm high and completely covers a compartment. Supplied standard with cylinder lock and two keys.

7

## DOOR DIM. mm 504x450 H

ART.		DOOR
F BR 0710 00 08		RIGHT
F BR 0711 00 08		LEFT

This door is available with right and left-hand openings. It partially covers a compartment up to a height of 450 mm. A shelf or drawers must be fitted over the door. Supplied standard with cylinder lock and two keys.

8

## 150 – 600 mm HIGH LOCKING BARS FOR DRAWERS

ART.	WIDTH mm
F BR 0410 00 00	150
F BR 0430 00 00	600

Supplied standard with cylinder lock and two keys.

## TOP

MULTIPLEX  
BEECH WOOD



3 BEECH WOOD  
CROSS LAYERS



MULTIPLEX WITH  
LAMINATE AND  
SOLID WOOD  
EDGES



GREY

THICKNESS mm	dim. mm	ART.	ART.	ART.
40	1500x750	F BI A242 00 00	-	F BH A242 00 08
	1500x800	F BI A342 00 00	-	F BH A342 00 08
	2000x750	F BI A270 00 00	-	F BH A270 00 08
	2000x800	F BI A370 00 00	-	F BH A370 00 08
	2500x750	F BI A284 00 00	-	F BH A284 00 08
	2500x800	F BI A384 00 00	-	F BH A384 00 08
	3000x750	F BI A298 00 00	-	F BH A298 00 08
	3000x800	F BI A398 00 00	-	-

COVER THICKNESS 12/10 mm IN MICROPERFORATED STEEL FOR MULTIPLEX SHELVES WITH H 20 mm "L"-SHAPING AT THE FRONT AND REAR, RESISTANT TO ABRASION AND EXPOSURE TO OIL AND GREASE



dim. mm	ART. THICKNESS 20 mm
1500x750	F BL 7930 00 99
1500x800	F BL 7935 00 99
2000x750	F BL 7960 00 99
2000x800	F BL 7965 00 99
2500x750	F BL 7975 00 99
2500x800	F BL 7980 00 99
3000x750	F BL 7990 00 99
3000x800	F BL 7995 00 99

MULTIPLEX WITH  
LAMINATE AND  
SOLID WOOD  
EDGES




BLUE

LAMINATE  
COVERED  
MULTIPLEX



GREY

LAMINATE  
COVERED  
MULTIPLEX



BLUE

ESD WORKTOP  
ON REQUEST



ART.	ART.	ART.
F BH A242 00 04	F BH B242 00 08	F BH B242 00 04
F BH A342 00 04	F BH B342 00 08	F BH B342 00 04
F BH A270 00 04	F BH B270 00 08	F BH B270 00 04
F BH A370 00 04	F BH B370 00 08	F BH B370 00 04
F BH A284 00 04	F BH B284 00 08	F BH B284 00 04
F BH A384 00 04	F BH B384 00 08	F BH B384 00 04
F BH A298 00 04	F BH B298 00 08	F BH B298 00 04
-	-	-

COVER THICKNESS 8/10 mm MADE OF STEEL COVERED WITH OIL-PROOF RUBBER 12/10 - 15/10 mm FOR MULTIPLEX SHELVES, H 20 mm, AT THE FRONT AND REAR "L" SHAPING

dim. mm	ART. THICKNESS 20 mm
1500x750	F BL 2260 00 07
1500x800	F BL 2265 00 07
2000x750	F BL 2290 00 07
2000x800	F BL 2295 00 07
2500x750	F BL 2305 00 07
2500x800	F BL 2310 00 07
3000x750	F BL 2320 00 07
3000x800	F BL 2325 00 07



MULTI-PURPOSE-PANEL  
SEE PAGE 859




ACCESSORIES  
SEE PAGE 871



# 27x27 EH


# PARTITIONING MATERIAL



ART. For front heights mm

**F FH 8405 02 00** 50 - 300


Set including: 3 troughs 4 grooves, 6 troughs 3 grooves, 16 plain partitions 36 mm, 7 plain partitions 47 mm



ART. For front heights mm

**F FH 8405 03 00** 50 - 300


Set including: 3 troughs 3 grooves, 6 troughs 2 grooves, 15 plain partitions 47 mm, 8 plain partitions 73 mm



ART. For front heights mm

**F FH 8405 04 00** 50 - 300

Set including: 9 troughs 2 grooves, 18 plain partitions 73 mm



ART. For front heights mm

**F FH 8405 08 00** 50

**F FH 8407 08 00** 75


**F FH 8410 08 00** 100 - 125

**F FH 8415 08 00** 150

**F FH 8420 08 00** 200 - 250

**F FH 8430 08 00** 300

Set including: 2 slotted partitions 455 mm, 3 plain partitions 149 mm



ART. For front heights mm

**F FH 8405 09 00** 50


**F FH 8407 09 00** 75

**F FH 8410 09 00** 100 - 125

**F FH 8415 09 00** 150

**F FH 8420 09 00** 200 - 250

Set including: 2 slotted partitions 455 mm, 7 plain partitions 149 mm



ART. For front heights mm

**F FH 8405 13 00** 50


**F FH 8407 13 00** 75

**F FH 8410 13 00** 100 - 125

**F FH 8415 13 00** 150

**F FH 8420 13 00** 200 - 250

Set including: 2 slotted partitions 455 mm




ART. For front heights mm

**F FH 8405 17 00** 50

**F FH 8407 17 00** 75

Set including: 8 plastic boxes 75x75 mm, 6 plastic boxes 150x75 mm, 4 plastic boxes 150x150 mm




ART. For front heights mm

**F FH 8405 18 00** 50

**F FH 8407 18 00** 75

**F FH 8410 18 00** 100 - 125

Set including: 6 plastic boxes 150x75 mm, 6 plastic boxes 150x150 mm




ART. For front heights mm

**F FH 8605 19 00** 50 - 300

Set including: 2 multi-purpose supports 440 mm

## CONFIGURE A FAMI DRAWER WITH BETA TOOLS



**ART. F FH 0807 50 07**

Drawer pre-setting kit for Beta thermoformed trays consisting of:  
 no. 2 F HC 6071 00 07  
 no. 2 F HC 6471 00 07  
 no. 1 F HA 1121 00 99

1 unit = 1 Beta thermoformed tray (367x147 mm)  
 2 unit = 1 Beta thermoformed tray (367x294 mm)

## EXEMPLES OF THERMOFORMED TRAY

